


## AIR PURIFIER



### Model: T800 (AT8U457-NWE)

<b>EN</b> AIR PURIFIER	User Manual	<b>NL</b> LUCHTREINIGER	Gebruikershandleiding
<b>FR</b> PURIFICATEUR D'AIR	Manuel d'utilisation	<b>PL</b> OCZYSZCZACZ POWIETRZA	Instrukcja obsługi
<b>ES</b> PURIFICADOR DE AIRE	Manual de usuario	<b>SE</b> LUFTRENARE	Bruksanvisning
<b>DE</b> LUFTREINIGER	Bedienungshandbuch	<b>TR</b> HAVA TEMİZLEYİCİ	Kullanıcı Kılavuzu
<b>IT</b> PURIFICATORE D'ARIA	Manuale dell'utente		

### Use & Care Guide



- Please read and follow all safety rules and instructions in this manual before operating.
- The product warranty is printed on the back of this guide, so please keep it in a safe place for future use.

# SAFETY AND CAUTIONS

Before operating this equipment, carefully read and follow these safety cautions.

## Ensure filters are inserted before running unit

Running the unit without filters may shorten the lifespan of the unit and cause electric shock or injury.

Be sure foreign objects are NOT inserted into the vents on the unit

Objects can include pins, rods, and coins.

Do not touch any part of the interior of the unit with wet hands

The high voltage may cause electric shock.

Ensure unit intake and outlet vents do not become blocked

Blockage may lead to increased internal temperatures causing product failure and deformation.

Do not use the unit as a step stool or place heavy objects on it

Personal injury may occur or product failure and deformation.

When turning the product upside down, install the filter with care in the direction so that the bottom (blocked) side of the filter is visible from the top

If the filter direction is not installed properly, it may cause product damage and user injury.



## WARNING

Follow these instructions to reduce the risk of serious injury or death and to reduce risk of damaging the unit.



If the supply cord is damaged, it must be replaced by a special cord or assembly available from the manufacturer or its service agent.



This appliance can be used by children aged from 8 years and above and persons with reduced physical, sensory or mental capabilities or lack of experience and knowledge if they have been given supervision or instruction concerning use of the appliance in a safe way and understand the hazards involved.



Children should be supervised to ensure that they do not play with the appliance.



Cleaning and user maintenance shall not be made by children without supervision.



Before cleaning or maintaining, ensure unit is unplugged.



Do not pull on the power cord when unplugging the unit.



Do not tie or knot the power cord when unit is in operation.



If the unit becomes submerged in water, unplug it and contact customer service.



Do not unplug or move the unit while in operation.



Do not plug additional appliances into the same outlet or power supply.



Do not touch the plug with wet hands.



Unplug the unit when not in operation for extended periods of time.



Do not place around heating elements.



Do not use around mist or fumes from industrial oil or around large quantities of metallic dust.



The cord can become damaged by forcefully bending, pulling, twisting, bundling, pinching or placing heavy objects on it.



Do not install in any sort of motor or transport vehicle (trucks, boats, ships, etc).



Do not place in an area with excessive amounts of noxious gases.



Do not place near any flammable materials (aerosols, fuel, gases etc).



Do not have the unit facing into wind or drafts.



Do not place below any electrical outlet.



Do not place in excessively humid areas where the unit may become wet.



To reduce the risk of fire or electric shock, do not use this fan with any solid-state speed control device.



Do not place unit closer than 30 cm from the wall during operation. It may cause condensation to the wall and the surrounding area.



If a product is delivered and/or installed during the winter season, there may be some condensation inside the sensor because of the indoor and outdoor temperature differences. This might cause a temporary reading of 5 µg/m<sup>3</sup> dust concentration and a blue light maintenance indication.



Please use it with confidence as it will disappear after running for about 1-2 hours during initial operation. The minimum value of dust concentration displayed on the product is 5 µg/m<sup>3</sup>.

# SAFETY INSTRUCTIONS

## Read and save these instructions.

Thank you for purchasing a Winix air purifier.

### IMPORTANT CAUTIONS FOR USING YOUR AIR PURIFIER

**WARNING :** Follow the instructions in this manual to reduce the risk of electric shock, short circuit, and/or fire.


- Do not repair or modify the unit. All repairs should be completed by a qualified technician.
- Do not use if the power cord or plug is damaged or the connection to the wall outlet is loose.
- Use AC 220 - 240 V only.
- Do not damage, break, forcefully bend, pull, twist, bundle, coat, pinch, or place heavy objects on the power cord.
- Periodically remove dust from the power plug. This will reduce the risk of shock due to humidity build up.
- Remove the power plug from the outlet before cleaning the unit. When removing the power plug, grasp by holding the plug itself, never hold by the cord.
- If the power plug is damaged, it must be replaced by the manufacturer or a qualified technician.
- Remove the power plug from the outlet when not in use.
- Do not handle the power plug with wet hands.
- Do not operate the unit when using indoor smoke-generating insecticides.
- Do not clean unit with benzene or paint thinner.
- Do not spray insecticides on the unit.
- Do not use the unit where it is humid or where the unit may become wet, such as the bathroom.
- Do not insert fingers or foreign objects into air intake or outlet.
- Do not use the unit near flammable gases. Do not use near cigarettes, incense, or other spark-creating items.
- Unit will not remove carbon monoxide emitted from heating appliances or other sources.
- This appliance is not intended for use by children or other persons without assistance or supervision if their physical, sensory or mental capabilities prevent them from using it safely. Children should be supervised to ensure that they do not play with the appliance.

### IMPORTANT PRECAUTIONS FOR USING YOUR AIR PURIFIER


- Do not block the intake or outlet vents.
- Do not use near hot objects, such as a stove.
- Do not use where the unit may come into contact with steam.
- Do not use the unit on its side.
- Keep away from products that generate oily residue, such as a deep fryer.
- Do not use detergent to clean the unit.
- Do not operate without a filter.
- Do not wash and reuse the New All-in-One HEPA Filter GR.
- Hold the handle on the back of the unit to transport.
- Do not hold by the front panel.
- Do not stick any small objects in the air outlet vents or fan.

# MODEL PART DIAGRAM


## FRONT



## BACK



## PACKAGE CONTENTS



Unit



New All-In-One HEPA Filter (99,999%).  
WINIX Filter GR




Quick-set-up  
Manual



Wi-Fi Setup  
Guide

## WHERE TO USE



**Allow 30 ~ 45 cm. of space between TVs, radios, humidifiers, and other electronics**

It can cause malfunction due to electromagnetic interference and humidified water.

**Place indoors away from direct sunlight**

Direct exposure may cause product malfunction or failure.


**Only place on hard, flat surfaces**

Flimsy or slanted surfaces may result in abnormal noise and vibrations.

**Allow 30 ~ 45 cm from walls**

For maximum air flow.

# CONTROL PANEL



## 01. Filter Life / Filter Reset Button

- A quick press will show the remaining filter life: indicated on the front display (F99 ~ F00).
- A long press of 5 seconds will reset the filter life indicator.
  - Use when replacing the filters.
  - Filter Reset Button can be used when the power is turned off.
  - The filter life will be reset to 100%.

## 02. Light Mode Button

Use the light button to set the desired display brightness. The display brightness cycles in the order of 100% → 70% → 30% → OFF. Other features remain unchanged.

## 03. Fan Speed Indicator Buttons

Indicates the current fan speed.

- Use the Fan Speed arrow buttons to set the desired fan speed. Fan speeds cycle over in this sequence:  
Auto, Low, Medium, High, Turbo.

## 04. Auto Mode Button

The Air Purifier will operate in the Auto Mode and with PlasmaWave enabled when first powered on.

- Auto Mode automatically adjusts fan speeds according to your indoor air quality. The fan speed will adjust to low when air quality is good, medium when fair, and to high when poor. The turbo mode can only be used manually.

## 05. Power Button

Turns the unit on or off. During the first 30 seconds of power, the Air Quality Indicator will cycle through Blue, Green, Amber and Red colors.

- Smart Sensor takes approximately 4 minutes to detect the air quality in the environment before normal operation begins.

## 06. Light Sensor

Detects the amount of ambient light in the environment. When in Auto Mode, the light sensor detects when to put the unit into Sleep Mode.

## 07. Wi-Fi / Pairing Button

- A quick press will turn Wi-Fi on/off.
- A long press of 3 seconds will activate pairing mode.
- A Wi-Fi indicator will display on the front while Wi-Fi is active.

## 08. Air Quality Indicator

Color coded LED light indicates one of four levels of Air Quality: Red (poor), Amber (fair), Green (average) and Blue (good).

## 09. PlasmaWave® Button

Enables or disables PlasmaWave®

When the unit is running, you may hear a chirping or buzzing sound. The sound is from particles passing through PlasmaWave®, it is normal and does not signify product failure. Press the PlasmaWave® button when the unit is on to enable or disable this feature.

## 10. Mode Indicator

Indicates whether Auto & Fan Speed Mode is enabled or disabled.



## 11. Sleep Mode Indicator

Indicates whether Sleep Mode is enabled or disabled.

## 12. Wi-Fi Indicator

Indicates whether Wi-Fi Mode is enabled or disabled.

## 13. PlasmaWave® Indicator

Indicates whether PlasmaWave® is enabled or disabled.


## 14. Filter Replacement Indicator

LED light indicates when it is time to change the filter.

## 15. Ultrafine Dust Density Indicator

- The LED Ultrafine Dust Density Indicator displays the quality of air in your environment. When the unit senses an air quality change, it automatically adjusts the LED Indicator to display the respective air quality.
- LED Numeric Smart Sensor displays air quality measures fine particles down to 2.5 microns.

## 4-STAGE AIR PURIFICATION



### 01. Pre-Filter

Designed to catch larger airborne particles found indoors.

### 02. HEPA Filter

Captures 99.999%\* of airborne allergens including; pollen, mould spores, dust, pet dander, microbes, and smoke (\*particles as small as 0.01 micron in size).

### 03. Activated Carbon Filter

Reduces VOCs and household odours from cooking, pets, and smoke.

### 04. PlasmaWave®

## GUIDE TO FINE DUST CONCENTRATION (Unit: $\mu\text{g}/\text{m}^3$ )

The numerical pollution level value displayed may differ from the information provided by official institutions depending on the indoor environment or the location of the product.

BLUE	GREEN	ORANGE	RED
0 ~ 35	36 ~ 55	56 ~ 150	>150


The numerical value on the screen represents the PM2.5 level in the room.

The display color will change in response to the PM2.5 level and/or any odors that may be present.

※ Please note that in the event of an odor-triggered color change, the numerical value only represents the PM2.5 level.

## MAINTENANCE

### When to Replace Filters


Filter	Indicator Light	When to Service	When to Replace
New All-in-One HEPA Filter GR	 Check Filter	Clean once every 14 days	Lasts Approx. 12 months

When the Check Filter indicator is on, it is time to replace your WINIX New All-in-One HEPA Filter GR.


The average lifespan of your filter is about 12 months but may vary depending on environment.

To purchase your WINIX filter you can contact your local dealer or visit [www.winixeuropa.eu](http://www.winixeuropa.eu)


# INITIAL OPERATION




1. Turn the product upside down.




4. Install the filter, top side down, into the bottom of unit, until it is fully inserted. The top of the filter shows the opening and the bottom of the filter is solid.




2. Grab the handle at the bottom of the product, turn anticlockwise, and pull out the filter cover.



5. After installing the filter, turn the handle clockwise to close the filter cover.




3. Remove the protective vinyl from the filter installed inside the product.



6. Return the product to an upright position and resume normal operation.

# CLEANING CARE


## Cleaning the Filters:



Clean with a vacuum or a soft brush.

- Only clean the Pre-Filter.
- This filter CAN NOT be washed.
- Intervals between filter cleaning may vary depending on the air quality.

## Cleaning the Exterior & Interior:



Wipe with a soft damp cloth using room temperature water. Afterwards, wipe it down with a clean dry cloth.


After turning the product upside down, remove the filter cover and clean the interior with a vacuum cleaner.

- For optimal performance, clean every 14 days.


### NOTICE

- When cleaning the unit, always unplug the power cord first and then wait until the unit has cooled down.
- Never disassemble, repair, or modify this unit yourself.
- Do not use flammable sprays or liquid detergents.
- Do not allow children to clean or maintain the unit.
- Before cleaning or maintaining, ensure unit is unplugged.


## How to disassemble and clean the smart sensor cover



1. Please use your finger to detach the cover of the dust sensor.



2. Clean the lens and suction port of the dust sensor with a cotton swab, and then use a dry cotton swab to clean the dust sensor. (Cleaning frequency: Once every two months)



3. Close the cover of the dust sensor until you hear a clicking sound.

### NOTICE

- Do not use benzene, alcohol, or other volatile fluids, which may cause damage or discoloration.
  - Do not clean the sensor with volatile substances such as water, alcohol, or acetone.
- If not cleaned regularly, the performance of the dust sensor may deteriorate.



# FREQUENTLY ASKED QUESTIONS

Problem	Check / Actions to take
The unit does not turn on at all	<ul style="list-style-type: none"> <li>Is the plug securely attached to the outlet?               <ul style="list-style-type: none"> <li>Make sure the outlet has power going to it, and ensure the plug is secured.</li> </ul> </li> <li>Is there a power outage?               <ul style="list-style-type: none"> <li>Check to see if other lights and electrical equipment are working and try again.</li> </ul> </li> </ul>
The unit doesn't work in Auto Mode	<ul style="list-style-type: none"> <li>Has Auto Mode been selected?               <ul style="list-style-type: none"> <li>Press the Fan Speed button until Auto Mode is selected.</li> </ul> </li> <li>Is the sensor blocked or clogged?               <ul style="list-style-type: none"> <li>Clean the smart sensor.</li> </ul> </li> </ul>
It vibrates and makes a lot of noise	<ul style="list-style-type: none"> <li>Is it running on a slanted or uneven surface?               <ul style="list-style-type: none"> <li>Move the unit to a hard, flat, even area.</li> </ul> </li> </ul>
The power plug and outlet feel hot	<ul style="list-style-type: none"> <li>Is the plug securely plugged in?               <ul style="list-style-type: none"> <li>Make sure the plug is properly plugged into the outlet.</li> </ul> </li> </ul>
There is a strange smell	<ul style="list-style-type: none"> <li>Is it being used in a place with a lot of smoke, dust, or odours?               <ul style="list-style-type: none"> <li>Clean the air intakes on either side and clean the Pre-Filter.</li> <li>Replace the New All-in-One HEPA Filter GR.</li> </ul> </li> </ul>
The fan strength is weak. The unit is not purifying the air	<ul style="list-style-type: none"> <li>Is the Check Filter Indicator light on?               <ul style="list-style-type: none"> <li>Change the filters as required.</li> </ul> </li> </ul>

## REPLACING FILTERS



### Resetting Filter Life:

After replacing the New All-in-One HEPA Filter GR, while the unit is on, hold the Filter Reset Button for at least 5 seconds until you hear the beep. After the beep, the Filter Replacement Indicator will disappear.



# UNIT SPECIFICATIONS

Model Name	T800 (AT8U457-NWE)
Power Voltage	AC 220 - 240 V, 50/60Hz
Power Rate	45 W
Verified Room Size	120 m <sup>2</sup>
Dimensions	286 mm (W) x 286 mm (D) x 518 mm (H)
Weight	4.7 kg
Replacement Filter	FILTER GR / SKU : 1712-0118-04

※ The exterior, design, and product specifications may be changed without prior notice to improve product performance.

## PRODUCT WARRANTY

The terms of the warranty are as follows.

1. This product is manufactured under stringent quality control and inspections.
2. The warranty will be voided if product failure is a result of negligence or misuse by the consumer, shipping and service fees may be incurred even during the warranty period.
3. A proof of purchase must be presented upon claiming a Product Warranty.
4. Store the proof of purchase in a safe place.
5. The warranty for this unit is only valid in Europe.

\* for more information visit  
Website : [www.winixeuropa.eu](http://www.winixeuropa.eu)

Product Name	Air Purifier	
Model Name	T800 (AT8U457-NWE)	
Purchase Date		
Warranty Period	Two (2) years	
Place of Purchase		
Place of Purchase Tel.		
Customer	Address	
	Name	
	Tel.	

※ After purchase, be sure to complete all of the above information.



**WINIX**

**Contact Winix for  
product related inquiries  
and customer service**

- Website: [www.winixeuropa.eu](http://www.winixeuropa.eu)

To expedite service, please specify the model name and number, the nature of the problem, your contact information, and your address.